



# VertiKlean<sup>®</sup> MAX<sup>™</sup> Sealed Edge Mop

VertiKlean MAX mop with sealed edges and microfiber face, **Large**

## Description

The VertiKlean MAX Sealed Edge mop head is used with VertiKlean hardware for wet cleaning ceilings, walls, and floors in sterile and non-sterile controlled environments. Like all VertiKlean MAX mops, VertiKlean MAX Sealed Edge is very lightweight and easy to maneuver on all surfaces.

Featuring a unique ribbed microfiber fabric laminated to a single layer of hydrophilic foam, the edges of the mop head are sealed to eliminate exposed foam. The result is a mop head that provides superior surface cleaning performance and excellent durability. The outstanding sorbent capacity of the hydrophilic foam holds disinfectant and other solutions without dripping, and delivers solution evenly to surfaces.

The foam mop head is backed by a semi-rigid thermoformed plate that easily snaps onto existing VertiKlean frames and provides uniform contact pressure on surfaces. Mop heads are available sterile per AAMI guidelines, and are compatible with a wide range of disinfectant and solvent solutions. Single use is recommended to avoid the risk of cross contamination between mopped surfaces.

Compatible with frame part numbers 2652A, 2652SS, and 2652K

## Technical Data

Mop head component materials (cleaning surface first)	Knitted microfiber polyester fabric / 100ppi hydrophilic urethane foam / knitted polyester fabric / APET thermoform backplate
Construction	Multi-layer; flame bonded / inert hi-temp adhesive
Dry Mop Weight	0.283 lbs/mop (4.52 oz)
Chemical compatibility	Recommended for continuous use with most common disinfectant solutions, when mixed according to manufacturers' directions. Recommended maximum use of up to one hour in "bleach" solutions over 40,000ppm hypochlorite. Not compatible with acetone and other ketones.

Attribute; (units)	Value **	Test Method
Mop weight, dry; (g/mop)	128	CTM 004-03
Sorbency in water		
Dry capacity; (mL/mop)	435	CTM 004-03
Non-volatile residue, NVR		CTM 005-01
In deionized water; (g/mop)	0.001	
In isopropanol; (g/mop)	0.022	
Particles ≥ 0.5µm; (x10 <sup>6</sup> /mop)	11.92	CTM 006-01
Fibers > 100µm; (x10 <sup>3</sup> /mop)	0.56	CTM 006-01

\*\* CTM = Contec Test Method

See second page for part numbers

### Notes:

- 1) Data shown are typical values and should not be used as product specifications.
- 2) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- 3) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Revision date: 03/26/18  
ETR3829



Copyright © 2018 Contec, Inc. All rights reserved.

**North America**  
P.O. Box 530  
Spartanburg, SC 29304 USA  
Phone: +1-864-503-8333  
www.contecinc.com

**Europe**  
ZI du Prat – RP 3707  
56037 VANNES Cedex  
FRANCE  
+33 297 437 698

**China**  
No.17 Longyun Road  
Suzhou 215024  
CHINA  
+ 86-512-6274 4050

Part Number	Description	EA/OB1	OB1/OB2	OB2/CS	EA/CS
VKSE0300	VertiKlean MAX Large Mop Head, sealed edge, 18" x 5" x 0.375" (46 x 13 x 1cm)	4	1	5	20

Part Number	Description	EA/OB1	OB1/OB2	OB2/OB3	OB3/CS	EA/CS
VKSE0350	VertiKlean MAX Large Mop Head, sealed edge, 18" x 5" x 0.375" (46 x 13 x 1cm), sterile	1	4	1	5	20

**Key:** EA = Each, OB1 = Outer Bag 1, OB2 = Outer Bag 2, OB3 = Outer Bag 3, CS = Case

**Notes:**

- 1) Data shown are typical values and should not be used as product specifications.
- 2) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- 3) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Revision date: 03/26/18  
ETR3829



Copyright © 2018 Contec, Inc. All rights reserved.

**North America**  
P.O. Box 530  
Spartanburg, SC 29304 USA  
Phone: +1-864-503-8333  
www.contecinc.com

**Europe**  
ZI du Prat – RP 3707  
56037 VANNES Cedex  
FRANCE  
+33 297 437 698

**China**  
No.17 Longyun Road  
Suzhou 215024  
CHINA  
+ 86-512-6274 4050