



# QuickTask™ 0500/0550 Flat Mop Head

Polyester / Cellulose Blend Flat Mop Head

## Description

The QuickTask range consists of a variety of flat mop heads that can be easily attached to a choice of flat mop head frame and handle assemblies. The flat mop heads are compatible with the QuickTask hinged mop frames 2749 (stainless steel) and 2740 (autoclavable polypropylene).

The QuickTask TASK0500/TASK0550 mop heads are constructed from a hydroentangled polyester / cellulose blend fabric with a synthetic fiberfill core. This provides a highly sorbent mop head which is suitable for the removal of light soil, residues and biofilms. Designed for single use, the mop heads are compatible with a wide range of chemicals and disinfectants.

The TASK0550 is provide sterile by gamma irradiation at no less than 25 kGy.

## Technical Data

Mop head component materials (cleaning surface first)	Nonwoven polyester / cellulose cover; Synthetic fiberfill core	
Construction	Multi-layer sewn lamination	
Dimensions; inches (cm)**		
As Packaged, Nominal:	15.5" x 5.25" (39.4x13.3cm)	
Mounted on Frame:	16" x 4.5" (41x11.5cm)	

Attribute; (units)	Value	Test Method
Mop weight, dry; (g/mop)	31	Contec Method
Sorbency, IPA/water, (mL/mop)	428	CTM005
Non-volatile residue, NVR		IEST-RP-CC004.2, Sec. 6.1.2
In deionised water; (g/mop)	0.015	
In isopropanol; (g/mop)	0.007	
Particles ≥ 0.5µm; (x10 <sup>6</sup> /mop)	3.9	IEST-RP-CC004.2, Sec. 5.2
Fibers > 100µm; (10 <sup>3</sup> /mop)	0.134	IEST-RP-CC004.2, Sec. 5.2

\*\* Note: Dimensions determined were made when mop was mounted on head frame #2749 and will vary based on the head frame used.

Part Number	Description	EA/OB1	OB1/OB2	OB2/CS	EA/CS
TASK0500	QuickTask Mop Head, polyester/cellulose flat	4	1	12	48

Part Number	Description	EA/OB1	OB1/OB2	OB2/OB3	OB3/CS	EA/CS
TASK0550	QuickTask Mop Head, polyester/cellulose flat, sterile	1	1	4	10	40

EA = Each, OB1 = Outer Bag 1, OB2 = Outer Bag 2, OB3 = Outer Bag 3, CS = Case

## Notes:

- 1) The information presented here is applicable to the part numbers shown above, as well as to any product containing the same materials and produced under the same conditions, regardless of product size or packaging configuration. Please contact a Contec sales representative for more details.
- 2) Data shown are typical values and should not be used as product specifications.
- 3) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- 4) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Revision date: 10/15/15



Copyright © 2015 Contec, Inc. All rights reserved.

**North America**  
P.O. Box 530  
Spartanburg, SC 29304 USA  
Phone: +1-864-503-8333  
www.contecinc.com

**Europe**  
Zl du Prat – RP 3707  
56037 VANNES Cedex  
FRANCE  
+33 297 437 690

**China**  
No.17 Longyun Road  
Suzhou 215024  
CHINA  
+ 86-512-6274 4050