## VertiKlean® Mop Head

Single use foam mop head for VertiKlean Wall Washing System, Regular

## **Description**

The VertiKlean single use foam mop head is used with corresponding hardware for wet cleaning walls and ceilings and applying disinfectants in sterile and non-sterile environments. The laser-cut mop head consists of polyester fabric laminated to clean ester foam that provides excellent liquid sorbency as well as good abrasion resistance.

The VertiKlean Wall Washing System provides complete range of motion and is ideal for cleaning hard to reach areas such as corners and ceilings. Mop heads are available sterile per AAMI guidelines and compatible with a wide range of solutions and disinfectants. Recommended for single use due to possible cross contamination.

Compatible with frame part number 2651A and 2651SS.

## **Technical Data**

Fibers >  $100 \mu m$ ; (x10<sup>3</sup>/mop)

Mop head component materials (cleaning surface first)		Knitted polyester fabric/ 60ppi polyester foam		
Construction		Multi-layer; flame bonded/ inert hi-temp adhesive		
Actual Size	in	8.25L x 4W x 1.25H /		
	cm	21L x 11W x 3H		
Attribute; (units)		Value **	Test Method	
Mop weight, dry; (g/mop)		34	CTM 004-03	
Sorbency in water			CTM 004-03	
Sorbency in water Wet capacity; (mL/m	nop)	535	CTM 004-03	
·	nop)	535	CTM 004-03 CTM 006-01	
Wet capacity; (mL/m	nop)	535 ND 0.011	22	

<sup>\*\*</sup> ND = none detected; levels are below detection limit of test equipment

0.06

Part Number	Description	EA/OB1	OB1/OB2	OB2/CS	EA/CS
VK-MOP	Regular VertiKlean mop head	4	3	4	48
TVKMOP	Regular VertiKlean mop head, textured	4	3	4	48

Part Number	Description	EA/OB1	OB1/OB2	OB2/CS	EA/CS
VK-MOPIR	Regular VertiKlean mop head, sterile	1	4	12	48

Key: EA = Each, OB1 = Outer Bag 1, OB2 = Outer Bag 2, CS = Case

## Notes:

- The information presented here is applicable to the part numbers shown above as well as to any product containing the same materials and produced under the same conditions, regardless of product size or packaging configuration. Please contact a Contec sales representative for more details.
- Data shown are typical values and should not be used as product specifications.
- Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Revision date: 07/26/16

CTM 005-01



+33 297 437 690