



Item # _____

Job _____



SUPER ERECTA SHELF®
Utility Carts — MW 100 and MW 600 Series

SUPER ERECTA SHELF® MW UTILITY CARTS — TWO-SHELF MODELS

and thoroughly practical, these carts are offered as complete units, shipped knocked down, with all components packaged in a compact carton.

• makes units easy to assemble with absolute rigidity, and makes reconfiguration of shelves quick and simple.

Three different shelf combinations, each in five to ten different models.

Two stainless steel flat shelves. Five sizes. Stainless steel handles.

Two wire shelves, chrome or stainless steel. Five sizes; ten models. Handle material matches shelves.

Bright, modern, sanitary appearance. Open construction minimizes dust accumulation, maximizes visibility and air circulation.

Ideal for transporting materials that require an expanse of flat surface. Raised ship's edge permits fast clean-up in case of liquid spills. Double thickness of 18-gauge steel edges also gives rigidity and high strength.

Standard-duty. 4LD 4" (102mm) diameter casters on carts 15½" (393mm) and 18" (457mm) wide; 5LD 5" (127mm) diameter casters on carts 21" (533mm) and 24" (610mm) wide. See sheet #11 20 for additional information on casters.

38" (965mm) floor to handle with 4" (102mm) casters; 39" (990mm) floor to handle with 5" (127mm) casters.

If any part of any cart is damaged by use, replacement parts are readily available and easily installed.




MW 600 Series




MW 100 Series

Job _____

SUPER ERECTA SHELF®
 MW UTILITY CARTS –
 TWO-SHELF MODELS



MW 100 Series



MW 600 Series

Dimensions

Cat.No.	Width		Length		Approx. Pkd. Wt.		Shelves	Shelf Material	Handles	Casters	
	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)				(in.)	(mm)
MW 103	18	457	24	610	40	18.1	2-Solid	Stainless Steel	Stainless Steel	4	102
MW 104	18	457	30	760	45	20.4	2-Solid	Stainless Steel	Stainless Steel	4	102
MW 105	18	457	36	914	48	21.8	2-Solid	Stainless Steel	Stainless Steel	4	102
MW 106	21	533	36	914	54	24.5	2-Solid	Stainless Steel	Stainless Steel	5	127
MW 108	24	610	36	914	60	27.2	2-Solid	Stainless Steel	Stainless Steel	5	127
MW 601	18	457	24	610	34	15.4	2-Wire	Chrome	Chrome	4	102
MW 602	18	457	24	610	34	15.4	2-Wire	Stainless Steel	Stainless Steel	4	102
MW 603	18	457	30	760	37	16.8	2-Wire	Chrome	Chrome	4	102
MW 604	18	457	30	760	37	16.8	2-Wire	Stainless Steel	Stainless Steel	4	102
MW 605	18	457	36	914	40	18.1	2-Wire	Chrome	Chrome	4	102
MW 606	18	457	36	914	39	17.7	2-Wire	Stainless Steel	Stainless Steel	4	102
MW 607	21	533	36	914	44	20.0	2-Wire	Chrome	Chrome	5	127
MW 608	21	533	36	914	44	20.0	2-Wire	Stainless Steel	Stainless Steel	5	127
MW 611	24	610	36	914	47	21.3	2-Wire	Chrome	Chrome	5	127
MW 612	24	610	36	914	46	20.9	2-Wire	Stainless Steel	Stainless Steel	5	127

375 lbs. (170kg) on units with 4LD and 5LD casters.

