



## DISSIPATIVE KNITTED GLOVES NO COATING 51-680-04xx

### Properties :

|                      |   |
|----------------------|---|
| Usage category :     | General purposes  |
| Configuration :      | Elastic wrists  |
| Fabric :             | Conductive nylon yarn, carbon suffused: 91.5%<br>Elastic: 5.5%<br>Polyester: 3% |
| Liner :              | Grey  |
| Shelf life :         | Functionnal : 1 year  |
| Washable :           | 40°C maximum  |
| Surface resistance : | $10.5 \Omega < r < 10^{12} \Omega$  |
| Coating :            | No coating  |
| Packaging :          | 10 pairs / bag  |
| Compliance:          | IEC 61340   |

### Size, dimensions & partnumbers :

| Partnumber  | Size | Length         |
|-------------|------|----------------|
| 51-680-0400 | S    | 200 mm +/-20mm |
| 51-680-0405 | M    | 210 mm +/-20mm |
| 51-680-0410 | L    | 220 mm +/-20mm |
| 51-680-0415 | XL   | 230 mm +/-20mm |
| 51-680-0420 | XXL  | 240 mm +/-20mm |



## **GANTS DISSIPATEURS SANS VERNIS 51-680-04xx**

### Propriétés :

|                         |   |
|-------------------------|---|
| Catégorie d'usage :     | Usage général   |
| Configuration :         | Poignets élastiques   |
| Tissu :                 | Fibre conductrice nylon imprégnée de carbone: 91.5%<br>Elastic: 5.5%<br>Polyester: 3% |
| Liner :                 | Marron  |
| Durée de vie :          | Fonctionnel : 1 an  |
| Lavable :               | 40°C maximum  |
| Résistance de surface : | $10.5 \Omega < r < 10^{12} \Omega$  |
| Vernis :                | Pas de vernis   |
| Conditionnement :       | 10 paires / sachet  |
| Conformité:             | IEC 61340   |

### Taille, dimensions & références :

| Références  | Taille | Longueur       |
|-------------|--------|----------------|
| 51-680-0400 | S      | 200 mm +/-20mm |
| 51-680-0405 | M      | 210 mm +/-20mm |
| 51-680-0410 | L      | 220 mm +/-20mm |
| 51-680-0415 | XL     | 230 mm +/-20mm |
| 51-680-0420 | XXL    | 240 mm +/-20mm |

